

Tests

- Test that with externalization, no picture is generated multiple times.
- Test that there are no warnings with and without using externalization.
- Test with `pdflatex` and `latex` and do not forget to use `dvips`.
- Normal input command




- Use `includegraphics` with file ending




- Use `includegraphics` without file ending




- Use `includegraphics` with scaling to the column's width




- Use `includegraphics` with scaling to a dimension




- Use `includegraphics` with scaling while having column width already




- Use `input` with `pgfplots`




- Use `pgfplots` without optional parameter



- Use includegraphics with png




- Use pgfplots with given width and height




- Use includegraphics with only a node

Node

- Use includegraphics with jpg





- Use includegraphics with pdf and scaling




- Use includegraphics with pdf


- Use includegraphics with column width



- Input a 2D pgfplots





- Use includegraphics with a scaled two dimensional plot with line width and an axis ratio of 1




- Use includegraphics with a two dimensional plot


- Use includegraphics with a scaled two dimensional plot with given height and an axis ratio of 0.5



- Use includegraphics with a scaled two dimensional plot with given height and an axis ratio of 0.5 and temporarily deactivated externalization




- Use includegraphics with a scaled two dimensional plot with line width and a default axis ratio




- Use includegraphics with a scaled two dimensional plot with given height and an axis ratio of 0.5 again

- Input a two dimensional plot with a tight frame with width 232.62106pt




(only defined locally for the current item) ✕


• Use a tikz-3Dplot, which is known to have a different size after externalization compared to the measurements without externalization and is thus rebuilt every time if the counter-measurements are not successful.



- Use a two dimensional plot with a tight frame with width 232.62106pt



- Use includegraphics with a histogram of a normal distribution
endlinechar: 13 (should be 13)



- Use \graphicspath with superfluous space